EAST Search History

Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp		
1	"20050269734"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 09:44		
0	(extruder die) with (adjust adjusting vary varying) with (dry adj gap)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:25		
0	(extruder die) with (adjust adjusting vary varying) with (dry adj jet)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:24		
2	(extruder die)with (gap adj length)with cooling	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:26		
41	(spinneret)with gap with cooling	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:27		
125	(extruder die) with (adjust adjusting vary varying) with gap with (length distance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:35		
5	(extruder die) with (adjust adjusting vary varying) with gap with bath	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:47		
105	(extruder die) same(adjust adjusting vary varying) same gap same (bath dooling)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:47		
1	"20050008806"	US-PGPUB	OR	ON	2006/07/21 07:47		
40	("4490421" "4906244" "4935190" " 4950239" "4963313" "5088991" "52 50069" "5264260" "5270086" "5304 340" "5306246" "5328468" "534238 6" "5344400" "5356591" "5403340" "5500180" "5556383" "5587125" " 5605543" "5714110" "5738653" "57 97877" "5948345" "6045547" "6110 142" "6146356" "6156254" "616874 8" "6176698" "6270522" "6328710" "6436056" "6458313" "6465067" " 6500146" "6500148" "6562021" "65 72813" "6663614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 11:26		
	1 0 2 41 125 5	1 "20050269734" 0 (extruder die) with (adjust adjusting vary varying) with (dry adj gap) 0 (extruder die) with (adjust adjusting vary varying) with (dry adj jet) 2 (extruder die)with (gap adj length)with cooling 41 (spinneret)with gap with cooling 42 (extruder die) with (adjust adjusting vary varying) with gap with (length distance) 5 (extruder die) with (adjust adjusting vary varying) with gap with bath 105 (extruder die) same(adjust adjusting vary varying) same gap same (bath dooling) 1 "20050008806" 40 ("4490421" "4906244" "4935190" " 4950239" "4963313" "5088991" "52 50069" "5264260" "5270086" "5304 340" "5306246" "5328468" "534238 6" "5344400" "5356591" "5403340" "5500180" "5556383" "5587125" "5605543" "5714110" "5738653" "57 97877" "5948345" "6045547" "6110 142" "6146356" "6156254" "616874 8" "6176698" "6270522" "6328710" "6436056" "6458313" "6465067" "	1 "20050269734" US-PGPUB; USPAT; USOCR; EPO; JPO 0 (extruder die) with (adjust adjusting vary varying) with (dry adj gap) 0 (extruder die) with (adjust adjusting vary varying) with (dry adj jet) 10 (extruder die) with (gap adj length) with cooling 11 (spinneret) with gap with cooling 12 (extruder die) with (adjust adjusting vary varying) with gap with (length distance) 12 (extruder die) with (adjust adjusting vary varying) with gap with (length distance) 12 (extruder die) with (adjust adjusting vary varying) with gap with length distance) 12 (extruder die) with (adjust adjusting vary varying) with gap with bath 13 (extruder die) with (adjust adjusting vary varying) with gap with bath 14 ("4490421" "4906244" "4935190" " US-PGPUB; USPAT; USOCR; EPO; JPO 15 (extruder die) same(adjust adjusting vary varying) same gap same (bath dooling) 16 ("4490421" "4906244" "4935190" " US-PGPUB; USPAT; USOCR; EPO; JPO 17 ("4490421" "4906244" "4935190" " US-PGPUB; USPAT; USOCR; EPO; JPO 18 ("4490421" "4906244" "4935190" " US-PGPUB; USPAT; USOCR; EPO; JPO 19 ("4490421" "4906244" "4935190" " US-PGPUB; USPAT; USOCR; EPO; JPO 10 ("450503866" "655639" "5308891" "5304380" "555638" "57410" "5378653" "574710" "5378653" "574710" "5378653" "579787" "5948345" "6110 142" "6146356" "6156254" "616874 8" "6176698" "6270522" "6328710" "6500166" "6500146" "6500146" "6560148" "656021" "65	1 "20050269734" US-PGPUB; USPAT; USOCR; EPO; JPO OR US-PGPUB USPAT; USOCR; EPO; JPO OR US-PGPUB USPAT; USOCR; EPO; JPO OR US-PGPUB USPAT; USOCR; EPO; JPO US-PGPUB USPAT; USOCR; EPO; JPO USPAT; USOCR;	1 "20050269734" US-PGPUB; USPAT; USOCR; EPO; JPO OR USPGPUB; USPAT; USOCR; EPO; JPO OR USPAT; USOCR; EPO;		

EAST Search History

		<u></u>		, T	Τ	T
S3	12	schewe-scott.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 08:00
S4	122	weber-jan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 08:00
S5	112	weber-jan.in. and (tubing catheter balloon)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 08:03
S6	1	schonele-victor.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 08:03
S7	80	264/167.ccls. and (catheter tubing)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 12:06
S8	147	catheter and balloon and (parison same (thickness orientation))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 08:14
S9	97	catheter and balloon and (parison with(thickness orientation))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 11:31
S10	7	("4490421" "4692200" "4715378" "4848344" "4952357" "5035694" "5334146").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 08:25
S11	45	("5525388").URPN.	USPAT	OR	ON	2006/07/19 09:45
S12	581	(blow adj molding)and (parison same orientation)	USPAT	OR	ON	2006/07/19 09:45
S13	631	(blow adj molding)and (parison with (orienting oriented orientation))	USPAT	OR	ON	2006/07/19 09:46
S14	0	(blow adj molding)and (parison with (varying varibable) adj (orienting oriented orientation))	USPAT	OR	ON	2006/07/19 09:46
S15	157	(blow adj molding)and (parison with (segment portion) with (orienting oriented orientation))	USPAT	OR	ON	2006/07/19 09:47
S16	2	("2940126").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/19 11:31
S17	13	("2940126").URPN.	USPAT	OR	ON	2006/07/19 11:31

EAST Search History

S18	148	264/209.5.ccls. and (catheter tubing)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 13:12
S19	9886	(extruding extrude extrusion coextrusion) and (catheter tubing) and (alignment orientation)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 13:13
S20	182	(extruding extrude extrusion coextrusion) and (catheter tubing) and (alignment orientation) and puller	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/19 13:13
S21	495	(extruder die) with gap with cooling	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 07:48
S22	10	(extruder die) with gap with cooling same (orientation orienting)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 07:51
S23	23	(extruder die) with (adjust adjusting vary varying) with gap with cooling	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 07:56
S24	41	(extruder die) with (adjust adjusting vary varying) with (air adj gap)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/21 10:33

7/21/06 11:25:47 AM C:\Documents and Settings\MEashoo\My Documents\EAST\Workspaces\10617428.wsp